



GLH1080
Round Spigot & Base (Rubbers for 10 and 12mm)
316G Satin and Mirror




GLH1081
Novo Spigot (12mm Glass)
316G Satin




GLH1090
Square Spigot & Base (Rubbers for 10 and 12mm)
316G Mirror




GLH1082
Round Spigot (Cover Available) 316G Satin
To Suit 12-17.52mm Glass




KT-Spigot-Black
PVD Coated Black Spigot
To Suit 10-12mm Glass



KT-Tilt-Lock
Duplex Stainless Steel 2205
Satin Finish
12-25.52mm Glass




KT-Spigot-Tilt
Duplex Stainless Steel 2205
Satin Finish
12-25.52mm Glass




JK-1014
Solid Threaded Body – Flat Head
M10 Removable Thread
304/316

*150mm Long M10 Threaded Bar Also Available Upon Request




JK-1017
Solid Threaded Body – Convex Head
M10 Removable Thread
304/316

20, 30, 40, & 50mm
Spacers Now Available
for JK-1014 & JK-1017
Satin & Mirror Finish




JK-1015
Solid Threaded Body – Flat Head
M12 Removable Thread
304/316




JK-1018
Solid Threaded Body – Convex Head
M12 Removable Thread
304/316



JK-1016
Solid Threaded Body – Flat Head
M16 Removable Thread
304/316



JK-1019
Solid Threaded Body – Convex Head
M16 Removable Thread
304/316



JK-1012
Solid Threaded Body – Screw Head
M10 Removable Thread
304/316



JK-1013
Solid Threaded Body – Screw Head
M12 Removable Thread
304/316

Spanners Available:





- JK-Spanner-52
- JK-Spanner-72
- JK-Spanner-Adjustable (30-72mm)
- JK-Flexible-Spanner (52mm Wide)







JK-Flexible-Spanner
(Suitable for 52mm Wide JKs)

JK-Flexible-Spanner:









KT-ADJ-STAND-30
Adjustable Stand-Off, Satin or Mirror
W 50mm x L 30mm 10-21.52mm Glass
Duplex 2205




KT-ADJ-STAND-40
Adjustable Stand-Off, Satin or Mirror
W 50mm x L 40mm 10-21.52mm Glass
Duplex 2205




KT-ADJ-STAND-50
Adjustable Stand-Off, Satin or Mirror
W 50mm x L 50mm 10-21.52mm Glass
Duplex 2205




KT-ADJ-STAND-BLACK-50
Adjustable Stand-off
Black Finish
W 50mm x L 50mm 10-21.52mm Glass




GLH1070-M12
70mm Face - M12 Removable Thread
316



GLH1070-M16
70mm Face - M16 Removable Thread
316




GLH1070-M16 - Glass Retainer 304/316
GLH1070-M16-EXT316 - Glass Retainer 304/316




GLH1070-M16-EXT316
50 x 70 x M16
(Spacer Only)
304/316




••Brand New••
Stand-Offs for Signs
19mm and 25mm Width
25mm and 40mm Off-Set




KT-Sign-19x25mm
304G, Satin






KT-Sign-19x40mm
304G, Satin




KT-Sign-25x25mm
304G, Satin




KT-Sign-25x40mm
304G, Satin




KT-Sneeze-Screen-Clamp
304 Grade To Suit 6 / 8 / 10mm Glass




GLH1013K-30
Solid Threaded Body – Pig Nose
M10 Removable Thread
316




GLH1013K-50
Solid Threaded Body – Pig Nose
M10 Removable Thread
304/316




GLH1014K
Flat Face Glass Retainer
316




M10-Dowel-150mm
M10-Dowel100
M10-Dowel80
M8-80-Dowel




GLH1017-A-Satin
GLH1017-A-Mirror
W:40mm x L:25mm




GLH1017-B-Satin
GLH1017-B-Mirror
W:40mm x L:50mm




JK-1017-Black
316 Grade – Black Finish
Stand Offs




KLH10F-Black
316 Grade – Black Finish
Flat Back Glass Clamp – 10mm Rubbers Included




KLH10-STIFF-WALL
Duplex Stainless – Satin Finish
10-12mm Wall to Glass Stiffener




KLH10-STIFF-180
Duplex Stainless Steel – Satin Finish
10-12mm 180 Degree Glass Stiffener




KLH10-STIFF-90
Duplex Stainless – Satin Finish
10-12mm 90 Degree Glass Stiffener




KLH10-STIFF-135
Duplex Stainless – Satin Finish
10-12mm 135 Degree Glass Stiffener




KLH10-STIFF-ADJ
Duplex Stainless – Satin Finish
10-12mm Adjustable Glass Stiffener




KLH10-Adjustable
316 Grade – Satin Finish – 10-12mm Glass
Adjustable Glass Clamp




KLH13.52-15MM-FLAT-SATIN
316 Grade Satin Finish
Suitable for 13.52 and 15mm Glass




KLH13.52-15MM-48.3-SATIN
316 Grade Satin Finish
Suitable for 13.52 and 15mm Glass




KLH10F-ANT-BRASS
Powder Coated, Antique Brass Glass Clamp
10mm Glass. 6/8/12mm Rubbers Also Available




KLH10F-ROSE-GOLD
Rose Gold Glass Clamp
10mm Glass. 6/8/12mm Rubbers Also Available




KLH10F-45/45
Satin Finish - 10mm Glass (No Pin)
304




KLH10F-45/45-Zintec
St/St Effect - 10mm Glass
Zamack Glass Clamp (No Pin)




KLH12F
304/316G Satin/Mirror
Flat - Square 55 x 55mm
304/316





KLH10F-45/45-M
Zamack Mirror Finish - 10mm Glass (No Pin)



KLH13.52-17.52FLAT
KLH13.52-17.52R50.8
13.52 - 16.76 - 17.52mm Rubbers (Sold Separately)
316G Mirror



KLH12R-42MM
304G Satin
Round - 12mm - Square 55 x 55mm
304



KLH10F-K-304 - 304 Grade, Satin 6-12mm Glass
 KLH10F-K - 316 Grade, Satin 6-12mm Glass
 KLH10F/M - 304 Grade, Mirror 6-12mm Glass
 KLH10F-K-316Mirror - 316 Grade, Mirror 6-12mm Glass
 KLH10U-FK - Untreated 6-12mm Glass
 KLH10Z-F-K - Zintec (Indoor) 6-12mm Glass
 All clamps with 10mm rubbers included. 6,8 and 12mm rubbers sold separately



10mm Rubber



12mm Rubber

GLH1016-10mm-Rubber

GLH1016-12mm-Rubber



13.52mm





16.76mm



17.52mm

Rubbers for 70 x 50mm Clamps





KLH21.5MM-F-316
 Suitable For 15, 17.52, 19 and 21.52mm Glass
 316 Grade, Satin / Mirror
 60mm x 70mm

••New closed back
 Glass Clamp, for
 Welding




KLH10F-K-Closed
 Closed back glass clamp
 Suitable for 6, 8, 10 and 12mm Glass
 316 Satin



16.88




••See Dimensions
 Page 12




KLH21.5MM-R-316
 Suitable for 15, 17.52, 19 and 21.52mm Glass
 316 Grade, Satin / Mirror

KLH10-180D
 180 Degree Double Glass Clamp
 Rubbers for 10 and 12mm Glass
 316 Satin




M8-ADJ-304/316
 M8x20mmx304/316
 M8x25mmx304/316


KLH10-90D
 90 Degree Double Glass Clamp
 Rubbers for 10 and 12mm Glass
 316 Satin




HH1013-75
Glass Bracket and Rod
304 / 316




HH1013-90
Glass Bracket and Rod
304 / 316




HH1015K-75
Convex Head - Glass to Handrail
304/316



HH1015-75-ADJ
Convex Head - Glass to Handrail
304/316





HH1015K-90mm-50.8
Convex Head - Glass to Handrail
304/316





HH1015-90-ADJ
Convex Head (Adjustable) - Glass to Handrail
304/316




KLH10F-Drop-Plate + KLH10R-Drop-Plate
Flat Post / 42.4mm Post / 48.3mm Post
316 Grade Satin Finish
40 x 18mm



KT-Magnetic-Latch-Post
Post to Glass Magnetic Latch
316G Satin Finish - 8-12mm Glass





KT-Magnetic-Latch-Glass
Glass to Glass Magnetic Latch
316G Satin Finish - 8-12mm Glass



GLH1030
Glass Retainer - Flat
316




GLH1032
Glass Retainer - Flat
316



GLH1031
Glass Retainer - 48/50mm Tube
316



GLH1033
Glass Retainer - 48/50mm Tube
316






KT-Parapet-Channel


Kensington's new parapet channel is the most economic of its type, which is suitable for 8, 10 and 12mm glass and is sold in 3m lengths. The glass is fixed with glass pressing mechanism in the main profile. It provides aesthetic and sturdy results if it is supported with on-glass profiles connected to the wall.





Alloy EN AW 6063
Stress and relocation
results on 1 m. base profile
with 350 kg horizontal load
to the highest surface of the
profile.



Mass : 2.77916 kg
Volume : 0.00102932 m³
Density : 2700 kg/m³
Weight : 27.2358 N






End Cap to suit Parapet Channel (Ali)




Glass Aligner – 60mm Wide
10mm Plate / Ali 6063 T5




••Also available – Brand New S40E profile, for 10mm glass

New Glass Fittings

••Available with a flat face,
or in 'Pig Nose'




••Flat Face : 35mm W x 5mm Stand-Off
and 50mm Wide x 50mm Stand-Off Available



Adjustable Back Plates on All Sizes



••Pig Nose : 35mm W x 50mm Stand-Off
and 50mm Wide x 50mm Stand-Off Available



PVD Coated Stainless Steel

Available in; Black, Bronze and Brass finish / Adjustable Back Plate, 10mm Adjustment /
Pig Nose or Side Hole / 30, 40 and 50mm / Suitable for 6–17.52mm Glass / Removable Thread




JK-1030 35mm Flat Face x 50mm Offset
JK-1033 35mm Pig Nose x 50mm Offset
JK-1050 50mm Flat Face x 50mm Offset
JK-1053 50mm Pig Nose x 50mm Offset



JK-1031 35mm Flat Face x 50mm Offset
JK-1051 50mm Flat Face x 50mm Offset
JK-1054 50mm Pig Nose x 50mm Offset



JK-1035 35mm Pig Nose x 50mm Offset
JK-1052 50mm Flat Face x 50mm Offset
JK-1055 50mm Pig Nose x 50mm Offset



KT-Juliet-Set
 316 Grade Satin Finish
 Juliet Balcony Set (Not Including Glass)
 Includes 4 x Brackets Suitable for 42.4mm Slotted Tube

Slotted Tube
 RO1002
 42.4 x 1.5mm Wall
 304 or 316 Grade Satin
 3 or 6 Metre Lengths

KT-Juliet-Bracket
 316 Grade Satin Finish
 Mid-Bracket for Juliet Set

*Suitable for 12 - 17.52mm Glass

**Installation instructions available upon request



GLH1010K-30-42.4
Double Glass Retainer
304



GLH1011K
Single Glass Retainer
304




GLH1010K-30-50.8
Double Glass Retainer
316



GLH1011K-30-50.8
Single Glass Retainer
316



GLH1010K-50-50.8
Double Glass Retainer (50 x 50mm)
316



GLH1011K-50.8
Single Glass Retainer (50 x 50mm)
316




Reverse View of the Double Glass Retainer



Reverse View of the Single Glass Retainer




KT-Hinge-Glass-Glass
Glass to Glass Hinge
316G, Satin



- Part 1 – Front Plate 48 x 78 Quantity : 1
- Part 2 – Back Plate 48 x 78 Quantity : 1
- Part 3 – Plastic 48 x 78 x 1 Quantity : 2
- Part 4 – Plastic 48 x 78 x 2 Quantity : 2
- Part 5 – Hinge – Quantity : 1
- Part 6 – Screw M6 x 28 Quantity: 4
- Part 7 – M6 Gasket Quantity : 6
- Part 8 – Screw M6 x 10.5 Quantity : 2
- Part 9 – Back Plate 55 x 78 Quantity : 1
- Part 10 – Front Plate 55 x 78 Quantity : 1
- Part 11 – Plastic 55 x 78 x 2 Quantity : 2
- Note: Form into a single hinge fitting, a pair must x 2




KT-Hinge-Post-Glass
Glass to Post Hinge 48.3mm
316G, Satin





- Part 1 – Front Plate 48 x 78 Quantity : 1
- Part 2 – Back Plate 48 x 78 Quantity : 1
- Part 3 – Plastic 48 x 78 x 1 Quantity : 2
- Part 4 – Plastic 48 x 78 x 2 Quantity : 2
- Part 5 – M6 Gasket Quantity : 4
- Part 6 – M6 x 28 Screw Quantity : 4
- Part 7 – Main Body Quantity : 1
- Note: Form into a single hinge fitting, a pair must be x 2




KT-Hinge-Flat-Glass
Glass to Square Post Hinge
316G-Satin




- Part 1 – Front Plate 48 x 78 Quantity : 1
- Part 2 – Back Plate 48 x 78 Quantity : 1
- Part 3 – Plastic 48 x 78 x 1 Quantity : 2
- Part 4 – Plastic 48 x 78 x 2 Quantity : 2
- Part 5 – M6 Gasket Quantity : 4
- Part 6 – M6 x 28 Screw Quantity : 4
- Part 7 – Main Body Quantity : 1
- Note: Form into a single hinge fitting, a pair must be x 2




SKYFORCE TOP MOUNT




SKYFORCE SIDE MOUNT





CC-780-BA(Mirror)
CC-780-S(Satin)
Base Spigot - 12, 15 & 17.52mm Glass




CC-791-BA(Mirror)
Side Fix Spigot
17.52 & 21.52mm Glass




BR-2031
(Face-Fixing Spanner)



CC-772-BA(Mirror)
CC-772-S(Satin)
Adjustable Glass Stand-Off (Square)




CC-775-050-BA(Mirror)
CC-775-050-S(Satin)
Adjustable Glass Stand-Off (Round)




BT-2030 (C-Spanner)



KLH21.5MM-180DEG
Satin
15-21.52mm Glass
0.25kg



KLH21.5MM-90DEG
Satin
15-21.52mm Glass
0.25kg





SB-01 (0.74kN/m)
SB-02 (1.5kN/m)
SB-03 (3kN/m)



SB-A1 (0.74kN/m)
SB-A2 (1.5kN/m)
SB-A3 (3kN/m)



SB-0.5S (0.36kN/m)
SB-01S (0.74kN/m)
SB-02S (1.5kN/m)



SB-A1S (0.74kN/m)
SB-A2S (1.5kN/m)



SB-0XS
(Parapet Wall System)

Kensington
Balustrade Systems
UNIQ
SMART BALUSTRADES

Full brochure available detailing; Test Reports, BIM Details, Detailed Drawings, and Installation Instructions